

# CONTENTS

	Page
<b>Acknowledgements</b>	<b>V</b>
<b>Abstract</b>	<b>VII</b>
<b>Preface</b>	<b>X</b>
<b>Contents</b>	<b>XI</b>
<b>List of Tables</b>	<b>XV</b>
<b>List of Figures</b>	<b>XIX</b>
<b>List of Abbreviations</b>	<b>XXXI</b>
<b>1. Introduction</b>	<b>1</b>
<b>2. Objectives</b>	<b>12</b>
<b>3. Review of Literature</b>	<b>13</b>
<b>3.1. Water resources in Nepal</b>	<b>13</b>
<b>3.2. Physico-chemical conditions of water bodies</b>	<b>14</b>
<b>3.3. Fish disease</b>	<b>19</b>
<b>3.3.1. Viral diseases</b>	<b>20</b>
<b>3.3.2. Bacterial fish diseases</b>	<b>20</b>
<b>3.3.3. Epizootic ulcerative Syndrome (EUS)</b>	<b>23</b>
<b>3.3.3.1. History of the disease</b>	<b>23</b>
<b>3.3.3.2. Species affected from EUS</b>	<b>29</b>
<b>3.3.3.3. Signs of the disease</b>	<b>33</b>
<b>3.3.3.4. Etiological Investigation</b>	<b>34</b>
<b>i. Virus</b>	<b>35</b>

<b>ii. Bacteria</b>	<b>36</b>
<b>iii. Fungi</b>	<b>38</b>
<b>iv. Animal Parasites</b>	<b>40</b>
<b>3.3.3.5. Environmental factors associated with EUS outbreak</b>	<b>40</b>
<b>3.3.3.6. Influence of pesticides, heavy metals and other agro chemicals</b>	<b>43</b>
<b>3.3.3.7. Socio-economic impacts of EUS</b>	<b>44</b>
<b>3.3.3.8. Management of EUS</b>	<b>46</b>
<b>i. Potassium Permanganate</b>	<b>46</b>
<b>ii. Lime</b>	<b>46</b>
<b>iii. Antibiotics</b>	<b>46</b>
<b>iv. CIFAX</b>	<b>46</b>
<b>4. Materials and Methods</b>	<b>47</b>
<b>4.1. Reagents for water Analysis</b>	<b>47</b>
<b>4.2. Temperature Measurement</b>	<b>50</b>
<b>4.3. Methods for Water Analysis</b>	<b>50</b>
<b>4.3.1. Turbidity</b>	<b>50</b>
<b>4.3.2. Hydrogen ion concentration (pH)</b>	<b>50</b>
<b>4.3.3. Dissolved oxygen (DO)</b>	<b>50</b>
<b>4.3.4. Free Carbon dioxide (FCO<sub>2</sub>)</b>	<b>51</b>
<b>4.3.5. Total alkalinity</b>	<b>51</b>
<b>4.3.6. Total hardness</b>	<b>52</b>
<b>4.3.7. Chloride</b>	<b>52</b>

<b>4.3.8. Biological oxygen demand (BOD)</b>	<b>52</b>
<b>4.4. Physico-chemical parameters of water samples</b>	<b>52</b>
<b>4.4.1. Statistical Analysis</b>	<b>53</b>
<b>4.5. Collection of diseased fish</b>	<b>53</b>
<b>4.6. Collection and maintenance of healthy fish for experimental works</b>	<b>53</b>
<b>4.7. Isolation of Microorganism from infected fishes</b>	<b>53</b>
<b>4.7. 1. Isolation of Bacteria and culture</b>	<b>53</b>
<b>4.7.2. Isolation of fungus and culture</b>	<b>54</b>
<b>4.8. Composition of bacterial media</b>	<b>54</b>
<b>4.9. Composition and preparation of buffers and reagents</b>	<b>61</b>
<b>4.10. Characterization of the isolated bacteria</b>	<b>62</b>
<b>4.11. Pathogenicity test of the isolated bacteria</b>	<b>65</b>
<b>4.12. Composition of fungal media</b>	<b>66</b>
<b>4.13. Methods for fungal isolation (Willoughby and Roberts, 1994; Lilley et al., 1998)</b>	<b>67</b>
<b>4.13.1. Sporulation methods of isolated fungus</b>	<b>67</b>
<b>4.13.2. Microscopical examination of isolated fungus</b>	<b>68</b>
<b>4.14. Histopathology</b>	<b>68</b>
<b>4.14.1. Histopathological Techniques and Requirements</b>	<b>68</b>
<b>4.14.2. Histopathological Techniques</b>	<b>69</b>
<b>4.14.2.1. Sampling and Fixation</b>	<b>69</b>
<b>4.14.2.2. Processing</b>	<b>70</b>
<b>4.14.2.3. Sectioning</b>	<b>70</b>

<b>4.14.2.4. Procedures for Haematoxylin –Eosin stain</b>	<b>70</b>
<b>4.14.2.5. Grocott hexamine (methenamine) silver staining for Fungi</b>	<b>70</b>
<b>4.14.2.6. Periodic Acid-Schiff stain (PAS)</b>	<b>71</b>
<b>4.15. Pathogenicity test of isolated fungus</b>	<b>71</b>
<b>5. Observations and Results</b>	<b>72</b>
<b>5.1. Physico- chemical parameters</b>	<b>72</b>
<b>5.2. Studies on the fish affected with epizootic ulcerative syndrome</b>	<b>155</b>
<b>5.3. Other fish diseases</b>	<b>159</b>
<b>5.4. Histopathological observation of EUS affected fishes</b>	<b>163</b>
<b>5.5. Isolation of Bacteria and their characterization</b>	<b>172</b>
<b>5.6. Pathogenicity test of the isolated bacteria</b>	<b>182</b>
<b>5.7. Fungus isolation and characterization</b>	<b>184</b>
<b>5.8. Pathogenicity test of isolated fungus <i>Aphanomyces</i> sp. in <i>Heteropneustes fossilis.</i></b>	<b>185</b>
<b>5.9. Histopathology of experimentally infected fish <i>Heteropneustes fossilis</i> with isolated fungus (Zoospores of <i>Aphanomyces</i> sp.)</b>	<b>186</b>
<b>6. Discussion</b>	<b>188</b>
<b>7. Bibliography</b>	<b>207</b>
<b>8. Index</b>	<b>248</b>
<b>9. Publications</b>	<b>251</b>